


Mirage® Drop-In Induction Ranges

- Designed for light commercial sauté and warming stations
- Cutting-edge dial control with high-speed power and temperature level adjustment — includes 1-180 minute timer function
- Bright LED digital readout is easy to see
- Temperature memory — powers up to the last used temperature setting
- Compact, no maintenance
- Smart component placement means cord and fans are located under the top case assembly, improving appearance
- Tough stainless steel case with 100% framed ceramic top for durability
- 100% factory bench tested for ultimate quality control
- "Hot" warning display for safety
- 6' (183 cm) cord and plug
- 3' (91.4 cm) remote control cord
- Control Box Cutout Dimensions: 5" x 2 1/16" (12.7 x 6.9 cm)



Countertop Units

59500P – See pages 2-3 to 2-5 for more information

Ranges

ITEM	DESCRIPTION	MAX PAN SIZE IN (CM)	DIMENSIONS (L X W X H) IN (CM)	CUTOUT DIMENSIONS IN (CM)	VOLTAGE	KW	AMPS	PLUG	CASE LOT
59501	US	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	120 AC	1.4	12	5-15P	1
59601	Europe	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	1.8	7.8	Schuko	1
59602	UK	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	1.8	7.8	UK	1
59603	China	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	1.8	7.8	China	1

Warmers^①

ITEM	DESCRIPTION	MAX PAN SIZE IN (CM)	DIMENSIONS (L X W X H) IN (CM)	CUTOUT DIMENSIONS IN (CM)	VOLTAGE	KW	AMPS	PLUG	CASE LOT
5950145	US	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	120 AC	.45	3.8	5-15P	1
59641	Europe	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	.65	2.8	Schuko	1
59642	UK	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	.65	2.8	UK	1
59643	China	14 (35.6)	14 1/2 x 12 1/2 x 2 7/8 (36.8 x 31.8 x 7.3)	13 3/8 x 11 3/4 (33.9 x 29.9)	230 AC	.65	2.8	China	1

① Warning unit only – not a cooking range

Note: See pages 2-3 to 2-5 for countertop units



Would you like to know more?

Visit www.vollrathco.com and take advantage of more standard-setting Induction training tools.

Reduce Energy Costs With Induction

Vollrath Induction Range Energy Consumption

MODEL	KILOWATTS KW	MULTIPLY	LENGTH OF TIME HRS/DAY	MULTIPLY	COST KW/HR ^②	EQUALS	COST PER DAY	COST PER MONTH	COST PER YEAR
59500	1.8	X	8	X	\$0.10	=	\$1.44	\$43.20	\$518.40

② Electric costs may vary

Butane Energy Consumption

MODEL	FULL TANK CAPACITY	LENGTH OF TIME HRS/DAY	AMOUNT USED	MULTIPLY	COST PER TANK	EQUALS	COST PER DAY	COST PER MONTH	COST PER YEAR
Butane Canister	6 Hrs.	8	1.3	X	\$2.50	=	\$3.25	\$97.50	\$1170.00



Compared to Butane, Induction:

- Offers more accurate control
- Heats faster and hotter
- Is more durable
- Is **SAFER**



Save Over \$650.00

The more you use induction – the more you will save!