




Spare parts for:
Espresso machines



Solenoid valves

- Diaphragms
- Flowrate adjusters
- Coils



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.





Solenoid valves



Suitable for:

Suitable for:

1120058 COFFEE SOLENOID KIT - 30 PCS
composed by:
10 pcs 2-WAY SOLENOID VALVE LEVEL CONTROL(1120354)
10 pcs 3-WAY SOLENOID VALVE RUBY GROUP (1120330)
10 pcs PRESSURE SWITCH CE-UL (1320541)



PARKER 399310K

1120333 COIL LUCIFER 483510P0 24V 9W 50/60Hz
width 32 mm - height 37 mm
depth 43 mm



CONTI
SPAZIALE

PARKER 439503

RANCILIO 34040024

1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz
width 32 mm - height 37.5 mm
depth 43.5 mm



BEZZERA 7630305
RENEKA

ECM

PARKER 439507

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XE0S2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BFC
CARIMALI
ECM
FIORENZATO C.S.
PARKER 439504
RANCILIO
SAB ITALIA
WEGA

AZKOYEN
BRASILIA
CIMBALI
EXPOBAR
GRIMAC
PAVONI
RENEKA
SPAZIALE

BEZZERA 7630306
BRUGNETTI-AURORA
CONTI
FAEMA 3301091760
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

3610026 COIL M&M 2700 10VA 230/240V 50/60Hz
width 23 mm - height 33 mm
depth 30 mm



1120114 COIL ODE BDA08024AS 24V 8W
width 30 mm - height 39 mm
depth 42 mm



ODE RBDA08024AS



Solenoid valves



Suitable for:

1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz

width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS

Suitable for:

3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz

width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024DS

ODE RBDA08024DS

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W

width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120156 COIL ODE BDP 220/230V 8W WITH CORE

width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLASSICA - CLUBEV
TWIN STAR2 - XEOS2
for Coffee machine (ESSIKA) SK2



CONTI 405620

CONTI 4056201

ODE KT130KE30-AGB+...

1120098 COIL ODE BDV08024CY 24V 11W

width 30 mm - height 39 mm
depth 42 mm



ODE BDV08024CU

ODE BDV08024CY

ODE RBDV08024CY

1120344 COIL ODE BDV08110AY 110V 15VA 50/60Hz

width 30 mm - height 39 mm
depth 42 mm



CONTI

ODE BDV08110AY

ODE BDV08110AW

1120190 COIL ODE LBA 24VDC 6W

width 22 mm - height 29,5 mm
depth 27.5 mm



ODE RLBA06024IS

1120110 COIL ODE LBA05024AS 24V 5W

width 22 mm - height 29.5 mm
depth 27.5 mm



ODE LBA05024AS



Solenoid valves



Suitable for:

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



LAVAZZA 10064081

ODE LBA05230AS

ODE RLBA05230AS

Suitable for:

1120097 COIL ODE LBV05024CY 24VDC 7W
width 22 mm - height 29.5 mm
depth 27.5 mm



ODE LBV05024CU

ODE LBV05024CY

1120120 COIL ODE RLBA05024CS 24VDC 5W
width 22 mm - height 29.5 mm
depth 27.5 mm



ODE RLBA05024CS

1120211 COIL OLAB 8000BH/J5IV 220/230VAC 50Hz
width 30 mm - height 39 mm
depth 41 mm



OLAB 8000BH/J5IV

1120583 COIL PARKER LA 220/240V 50/60Hz 9W
width 32 mm - height 35.8 mm
depth 51.3 mm



PARKER LAXS6

5500721 COIL PARKER WB4.5 6W 115V 50/60Hz
width 22 mm - height 30 mm
depth 32 mm



PARKER 304260

1120581 COIL PARKER XS 110/115/120V 50/60Hz 9W
width 32 mm - height 37.3 mm
depth 43.4 mm



PARKER XS03XS5

1120582 COIL PARKER XS 220/240V 50/60Hz 9W
width 32 mm - height 37.3 mm
depth 43.4 mm



PARKER XS03XS6



Solenoid valves



Suitable for:

1120580 COIL PARKER XS 24VAC 50/60Hz 9W

width 32 mm - height 37.3 mm
depth 43.4 mm



PARKER XS03M

Suitable for:

1120361 COIL PARKER YB09 220/230V 9W 50/60Hz

width 34 mm - height 32 mm
depth 42 mm
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA
LOLLO - MERCURY - MINIMAX - REPLICA
REVOLUTION - SILVER



CONTI

FUTURMAT-ARIETE 01181008

MAIRALI 01181008

VISACREM 01181008

ELEKTRA

GAGGIA SPAGNA 01181008

PARKER 304398

EXPOBAR

ITALCREM 01181008

VIBIEMME ELETB03V

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz

width 34 mm - height 33 mm
depth 43 mm



ASTORIA CMA

GRIMAC G356UL

RENEKA

CONTI

GRIMAC 1160400022

ECM

PARKER 304010

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz

width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA

CARIMALI

ELEKTRA 01004035

FIORENZATO C.S.

GRIMAC GR724

PARKER 304012

RANCILIO

SAB ITALIA

WEGA

BRASILIA

CIMBALI

EXPOBAR

GRIMAC G131

MARZOCCO

PAVONI 451240

RENEKA

SPAZIALE

BRUGNETTI-AURORA

ECM

FAEMA 3301091760

GRIMAC 1160400023

NUOVA SIMONELLI

PROMAC

ROYAL

VIBIEMME

3120033 COIL PARKER ZB09 9W 24V 50/60Hz

width 34 mm - height 33 mm
depth 43.5 mm
for Coffee machine (FAEMA) COMPACT - DUE - DUEA
EXPRESS - E61 - E91 - E92



CONTI

NUOVA SIMONELLI

UNIC

FAEMA

PARKER 304004

VFA EXPRES

MARZOCCO

SAN MARCO

1120008 COIL SIRAI ZA30A 9W 230V 50Hz

width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322



Solenoid valves



Suitable for:

3120347 COIL SIRAI ZB10A 230V 4W 50/60Hz
width 22 mm - height 30 mm
depth 28 mm



Suitable for:

3120348 COIL SIRAI ZB10A 24V 4W 50/60Hz
width 22 mm - height 30 mm
depth 28 mm



3120053 COIL SIRAI Z530A 9W 230V 50Hz 14VA
width 31,5 mm - height 43 mm
depth 42,5 mm
for Coffee machine (FAEMA) COMPACT - DUE - DUEA
EXPRESS - E61 - E91 - E92



3120054 COIL SIRAI Z530A 9W 24V 50Hz 14VA
width 31.5 mm - height 43 mm
depth 42.5 mm



FAEMA

RANCILIO

3120042 COIL SIRAI Z610A 6W 230V 50/60Hz
width 25 mm - height 33 mm
depth 33 mm
for Coffee machine (PAVONI) BART



5036415 ELETTOVALVOLA DI SCARICO P0049
230V 50/60Hz 11,1VA



ASTORIA CMA
FAEMA

BEZZERA 7630303
PAVONI

CARIMALI

SAECO 11001543

1120078 LUCIFER 2-WAY SOLENOID VALVE 24V 16W
121KS5764C - RUBY seal
coil 491514C2 D500C2 - 16W 24V
connections \varnothing 1/8" F
hole 1.5 mm



PARKER 121KS5764C

1120068 LUCIFER 3-WAY SOLENOID VALVE 24V
131KS5764C - RUBY seal
coil 491514C2 D500C2 - 16/12W 24V
connections \varnothing 1/4" F - higher connection \varnothing 1/8" M
hole 4 mm



PARKER 131KS5764C



Solenoid valves



Suitable for:

Suitable for:

1120550 MECHANICAL COMPONENT PARKER 2 WAYS R/1.5
2019F1GRG7 - max 20 bar
RUBY seal - orifice \varnothing 1.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature $-40^{\circ}\text{C}+140^{\circ}\text{C}$



PARKER 2019F1GRG7

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head \varnothing 7 mm - overall length 12 mm



1120552 MECHANICAL COMPONENT PARKER 2 WAYS R/2.5
2019F1LRG7 - max 20 bar
RUBY seal - orifice \varnothing 2.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature $-40^{\circ}\text{C}+140^{\circ}\text{C}$



PARKER 2019F1LRG7

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head \varnothing 7 mm - overall length 12 mm



1120554 MECHANICAL COMPONENT PARKER 2 WAYS V/1.5
2019F1GVG7 - max 20 bar
VITON seal - orifice \varnothing 1.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature $-40^{\circ}\text{C}+140^{\circ}\text{C}$



PARKER 2019F1GVG7

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01



Suitable for:

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



Solenoid valves



Suitable for:

1120556 MECHANICAL COMPONENT PARKER 2 WAYS V/2.5
2019F1LVG7 - max 20 bar
VITON seal - orifice ø 2.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 2019F1LVG7

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

1120558 MECHANICAL COMPONENT PARKER 3 WAYS R/1.5
3019F1GRG7 - drain ø 1/8"F - max 14 bar
RUBY seal - orifice ø 1.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 3019F1GRG7

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01



Solenoid valves



Suitable for:

Suitable for:

1120560 MECHANICAL COMPONENT PARKER 3 WAYS R/2.0

3019F1LRG7 - drain \varnothing 1/8"F - max 14 bar
RUBY seal - orifice \varnothing 2.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 3019F1LRG7

1786221 GASKET KIT FOR SOLENOID VALVE

for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8

head \varnothing 7 mm - overall length 12 mm



1120562 MECHANICAL COMPONENT PARKER 3 WAYS V/1.5

3019F1GVG7 - drain \varnothing 1/8"F - max 14 bar
VITON seal - orifice \varnothing 1.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 3019F1GVG7

1786221 GASKET KIT FOR SOLENOID VALVE

for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8

head \varnothing 7 mm - overall length 12 mm



1120564 MECHANICAL COMPONENT PARKER 3 WAYS V/2.5

3019F1LVG7 - drain \varnothing 1/8"F - max 14 bar
VITON seal - orifice \varnothing 2.5 mm
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 3019F1LVG7

1786221 GASKET KIT FOR SOLENOID VALVE

for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01



Suitable for:

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head \varnothing 7 mm - overall length 12 mm



Solenoid valves



Suitable for:

1120013 MULTIWAYS MOTORIZED VALVE KIT
for Coffee machine (SAECO) PRIMEA



SAECO 20000827

1120030 MULTIWAYS MOTORIZED VALVE KIT
for Coffee machine (SAECO) PRIMEA



SAECO 20000480

1120205 ODE SOLENOID VALVE CORE 2V



BIANCHI R450898/V

ODE R450898/V

1120246 PARKER SOLENOID VALVE 2 WAYS 230V 50Hz
VE161.4EV - connections \varnothing 1/4" FF - max 10 bar
VITON seal - orifice \varnothing 2.2 mm
with coil KT09 9W 220/230V 50Hz
fluids temperature -10°C+140°C
for Coffee machine (BIANCHI) SOFIA



BIANCHI 25034216

GEM-FUTUREMA

PARKER

1240731 PERMANENT MAGNET
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (PAVONI) BART



BEZZERA 5963015
MARCFI-ANCAS
SPAZIALE 00614

BRASILIA
PAVONI 394740

FAEMA
PAVONI 360006

1120198 SLEEVE FOR ODE SOLENOID VALVE
base coupling \varnothing 20 mm - coil nut \varnothing 1/8"



LAVAZZA 10063306

ODE R451229/CL

1120256 SOLENOID VALVE AE 3 WAYS 240V 50Hz 13VA
connections \varnothing 1/8 - drain \varnothing 7 mm
with coil SFA00 13VA 220/240V 50Hz
for Coffee machine (SPINEL) PINOCCHIO - TOUR



SPINEL SR.000.032.015



Solenoid valves



Suitable for:

1120254 SOLENOID VALVE CEME 2 WAYS \varnothing 1/8" F 230V
NICKEL PLATED BODY
5510 - max. 3.5 bar
NBR seal - orifice \varnothing 2.5 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C
for Coffee machine (DELONGHI) ESAM5400
ESAM5400EX



DELONGHI 5213210171

DELONGHI 5232103000

Suitable for:

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R

1120250 SOLENOID VALVE CEME 2 WAYS 230V
5220 - pressure connections - max. 3.5 bar
VITON seal - orifice \varnothing 2.7 mm
with coil B4 14VA 230V 50Hz
fluid temperature -10°C+140°C
for Coffee machine (DELONGHI) ECAM26.455.C



DELONGHI 5213214071

DELONGHI 5213214081

DELONGHI 5213215631

ULKA 1W7/R

1199316 COIL CEME B4 230V
50 Hz impregnated



1120236 SOLENOID VALVE CEME 2-WAY \varnothing 1/8" F 230V
5220 - max 13bar
VITON seal - orifice \varnothing 2.0 mm
with coil B4 13,5VA 230V 50Hz
temperature of the fluids -10°C+140°C



ULKA 5220VN2,0SAIF

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R

1120257 SOLENOID VALVE CEME 3-WAY 230V 50Hz
5301 - pressure connections - outlet \varnothing 7 mm
VITON seal - orifice \varnothing 2.7 mm
with coil B4 14VA 230V 50Hz
fluids temperature -10°C+140°C
for Coffee machine (DELONGHI) ECAM26.455.C



DELONGHI 5213214021

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R



Suitable for:

Solenoid valves



Suitable for:

1120248 SOLENOID VALVE ODE 2 WAYS \varnothing 1/4" 230V
EPDM seal - orifice \varnothing 3.0 mm
with coil BDV08230AY 230/240V 50/60Hz 8W
temperature -10°C+80°C
for Coffee machine (ASTORIA CMA) PLUS4YOU
for Coffee machine (WEGA) CONCEPT



ASTORIA CMA 18161981
WEGA WY18161981

ODE 21A16KE30-XVP+..

ODE 21A16KE30-XVP

1120134 SOLENOID VALVE ODE 2 WAYS \varnothing 1/4" 230V 8W
VITON seal - orifice 2.5 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C+180°C



ECM
SAN MARCO

ODE 21A2KV25+...

ODE 21A2KV25

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120175 SOLENOID VALVE ODE 2 WAYS \varnothing 1/4" 230V 8W
VITON seal - orifice \varnothing 1.1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 21A2KV11+BDA08223

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS



Solenoid valves



Suitable for:

Suitable for:

1120804 SOLENOID VALVE ODE 2 WAYS \varnothing 1/8" 230V 8W
RUBY seal - orifice \varnothing 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



BFC
ROYAL

FIorenZATO C.S.

ODE 21A3KR30

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120802 SOLENOID VALVE ODE 2 WAYS 230V 8W
RUBY seal - orifice \varnothing 2 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



BIANCHI 25034316

ODE 21A1KR20-ORV

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120202 SOLENOID VALVE ODE 3 VIE \varnothing 1/8" 24V 8W
VITON seal - orifice \varnothing 1.5 mm
with coil BDA08024CS 24Vdc 8W 50/60Hz
temperature -10°C+140°C



ODE 31A3AV15+..

1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS

1120180 SOLENOID VALVE ODE 3 WAY \varnothing 1/8" 24VDC 8W
VITON seal - orifice \varnothing 1.1 mm
with coil BDA08024CS 24VDC 8W
temperature -40°C +180°C



ODE 31A3HLV11-PB+....

SAECO 9121.138

SAECO 9121.138.00P

1120112 COIL ODE BDA08024CS 24Vdc 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024CS

ODE RBDA08024CS



Suitable for:

Solenoid valves



1120815 SOLENOID VALVE ODE 3 WAYS \varnothing 1/8" 110V 8W
VITON seal - orifice \varnothing 3 mm
with coil BDA08110AS 110V 8W
temperature -10°C+140°C



MARZOCCO

ODE 31A3AV30

1120123 SOLENOID VALVE ODE 3 WAYS \varnothing 1/8" 220V 8W
VITON seal - orifice \varnothing 1.1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



ODE 31A3HLV11+...

SAECO 9121.138.00A

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120124 SOLENOID VALVE ODE 3 WAYS \varnothing 1/8" 220V 8W
VITON seal - orifice \varnothing 1.1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C+180°C



ODE 31A3HLV11-PB+...

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120812 SOLENOID VALVE ODE 3 WAYS 115V 8W
RUBY seal - orifice \varnothing 1.5 mm
TAPERED fitting
with coil BDA08115BS 110V 60Hz 8W
temperature -40°C+180°C



ODE 31A1AR15-115V



Solenoid valves



Suitable for:

Suitable for:

1120805 SOLENOID VALVE ODE 3 WAYS 230V 8W
RUBY seal - orifice \varnothing 1.5 mm
TAPERED fitting
with coil BDA08223DS 220/230V 50/60Hz 8W
fluid temperature $-40^{\circ}\text{C} + 180^{\circ}\text{C}$



BFC 5020055
ROYAL 5020055

CONTI
SPAZIALE 01379

ODE 31A1AR15-VORV

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120809 SOLENOID VALVE ODE 3 WAYS 230V 8W
RUBY seal - orifice \varnothing 1.5 mm
TAPERED fitting
with coil B0108223DS 220/230V 50/60Hz 8W
fluid temperature $-40^{\circ}\text{C} + 180^{\circ}\text{C}$



BFC
FIORENTATO C.S.
QUICK MILL

BRUGNETTI-AURORA
NUOVA SIMONELLI
ROYAL

ECM
ODE 31A1AR15
SPAZIALE

1120810 SOLENOID VALVE ODE 3 WAYS 24V 8W
VITON seal - orifice \varnothing 3 mm
TAPERED fitting
with coil BDA08024DS 24V 50/60Hz 8W
temperature $-10^{\circ}\text{C} + 140^{\circ}\text{C}$



ODE 31A1AV30

3120374 COIL ODE BDA08024DS 24V 8W 50/60Hz
width 30 mm - height 39 mm
depth 42 mm



ODE BDA08024DS

ODE RBDA08024DS

5020858 SOLENOID VALVE ODE 3-WAYS \varnothing 1/8" 230V 5W
VITON seal - orifice \varnothing 2.3 mm
with coil LBV05230AY 230/240V 50/60Hz 5W
temperature $-10^{\circ}\text{C} + 140^{\circ}\text{C}$



NUOVA SIMONELLI 04100054

ODE 31JN1XPV23+05230



Solenoid valves



Suitable for:

2102059 SOLENOID VALVE ODE 3-WAYS \varnothing 1/8" 230V 8W
VITON seal - orifice \varnothing 1.5 mm
with coil BDA08223DS 8W 220/240V 50/60Hz
temperature -10°C+140°C
for Coffee machine (MARZOCCO) FB/70 - FB/80 - GB/5
GS/3 - LINEA - MISTRAL - STRADA



MARZOCCO L100/E

ODE 31A3AV15

ODE 31A3AV15+

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120247 SOLENOID VALVE OLAB 2 WAYS 230V 50Hz
coil 6000BH/K5FV 230V 50Hz 9/12VA
adjustable
for Coffee machine (ORCHESTRALE) ETNICA - PHONICA



ASTORIA CMA 18161988

ORCHESTRALE D18161988

WEGA WY18161988

1120255 SOLENOID VALVE 230V \varnothing 13 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 13 mm
for Coffee machine (SPINEL) DUELUX - DUETTO
DUETTOLUX - ESSE - MINIMINI - RONDOLUX
TRELUX - UNOLUX



SPINEL SR.000.032.007

5019235 VALVE PARKER 2 WAYS 24V 50/60Hz
7121ZBG1LV00 - connections \varnothing 1/8"FF - max 10 bar
VITON seal - hole \varnothing 2.5 mm
with coil 483510P0 9W 24V 50/60Hz
temperature of fluids -40°C+140°C
for Coffee machine (CIMBALI) M24



CIMBALI 533-798-400

CIMBALI 533-798-410

CIMBALI 533-798-410R

FAEMA 533798400

FAEMA 533798410

FAEMA 533798410R

PARKER 7121ZBG1LV00

PARKER 471200

1120106 2-WAY PARKER SOLENOID VALVE \varnothing 1/8" 24VDC
7121ZBGS - fittings \varnothing 1/8"FF - max 7 bar
VITON seal - orifice \varnothing 3 mm
with coil 491514C2 16W 24VDC
fluid temperature -40°C+140°C



CASADIO 533896600

CASADIO 533896600R

CIMBALI 533-896-600

CIMBALI 533-896-600R

FAEMA 533896600

FAEMA 533896600R

1120541 2-WAY SOLENOID VALVE BODY \varnothing 1/4" M
stainless steel - N.S.F. certified



PARKER XGSPG2

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01



Suitable for:

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



Solenoid valves



Suitable for:

1120540 2-WAY SOLENOID VALVE BODY ø 1/8" M
stainless steel - N.S.F. certified



PARKER XGSPG1

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

1120471 2-WAY SOLENOID VALVE CEME ø 1/4" 230V
6660 - max 4.5bar
VITON seal - orifice ø 3.0 mm
with coil B6 17VA 230V 50Hz
fluids temperature -10°C+140°C
with total lock regulator
ITALIANA-MASTER1
for Coffee machine (ASTORIA CMA) PLUS4YOU
for Coffee machine (NUOVA SIMONELLI) APPIA
AURELIA
for Coffee machine (VICTORIA ARDUINO) ADONIS
for Coffee machine (WEGA) CONCEPT



NUOVA SIMONELLI 04100024
VICTORIA ARDUINO 04100024

NUOVA SIMONELLI 04100033
VICTORIA ARDUINO 04100033

ULKA 6660EN3,0S30BIF

3120569 COIL CEME B6 230V



ULKA BDF/R

1120230 2-WAY SOLENOID VALVE CEME ø 1/4" F 230V
6712 - max 14bar
VITON seal - orifice ø 2.5 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6712VV2,5SBIF

3120569 COIL CEME B6 230V



ULKA BDF/R



Suitable for:

Solenoid valves



1120231 2-WAY SOLENOID VALVE CEME Ø 1/4" F 230V

6712 - max 10bar
VITON seal - orifice Ø 2.8 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6712VV2,8SBIF

Suitable for:

3120569 COIL CEME B6 230V



ULKA BDF/R

1120232 2-WAY SOLENOID VALVE CEME Ø 1/4" F 230V

6612 - max 9bar
VITON seal - orifice Ø 3.0 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6612VV3,0SBIF

3120569 COIL CEME B6 230V



ULKA BDF/R

1120238 2-WAY SOLENOID VALVE CEME Ø 1/8" F 120V

NICKEL PLATED CASE
5220 - max 13bar
VITON seal - orifice Ø 2.0 mm
with coil B4 14VA 100/120V 60Hz
fluid temperature -10°C+140°C



ULKA 5220VN2,0NROY

1120186 2-WAY SOLENOID VALVE CEME Ø 1/8" F 230V

for PAVONI MICROPOD
tenuta in VITON - orificio Ø 2,0 mm
con bobina B4 13,5VA 230V 50Hz
temperatura fluidi -10°C+140°C
for Coffee machine (PAVONI) MICROPOD
for Coffee machine (RDL) MINI - SWEET



PAVONI 0R14210040

RDL 14210040

1199316 COIL CEME B4 230V

50 Hz impregnated



ULKA 1W7/R



Solenoid valves



Suitable for:

1120237 2-WAY SOLENOID VALVE CEME \varnothing 1/8" F 230V
NICKEL PLATED CASE
5220 - max 13bar
VITON seal - orifice \varnothing 2.0 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5220VN2,0NAIF

Suitable for:

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R

1120466 2-WAY SOLENOID VALVE LUCIFER 115V 60Hz
7121ZBG1LV00 - fittings \varnothing 1/8" FF - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil 483510S5 F 9W 110/115/120V 50/60Hz
fluid temperature -10°C+140°C



CIMBALI

PARKER 471205

1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz
width 32 mm - height 37.5 mm
depth 43.5 mm



BEZZERA 7630305
RENEKA

ECM

PARKER 439507

1120192 2-WAY SOLENOID VALVE LUCIFER 220/240V
121F4417 - max 20 bar
RUBY seal - orifice \varnothing 1.5 mm
coil 483510S6 XS03XS6 9W 220/240V 50/60Hz



CASADIO 533898300R

FAEMA 533898300R

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XE0S2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BFC
CARIMALI
ECM
FIORENZATO C.S.
PARKER 439504
RANCILIO
SAB ITALIA
WEGA

AZKOYEN
BRASILIA
CIMBALI
EXPOBAR
GRIMAC
PAVONI
RENEKA
SPAZIALE

BEZZERA 7630306
BRUGNETTI-AURORA
CONTI
FAEMA 3301091760
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME



Solenoid valves



Suitable for:

Suitable for:

1120241 2-WAY SOLENOID VALVE LUCIFER 24V 50/60Hz
121F4417 - max 20 bar
RUBY seal - orifice 1.5 mm
coil 483510P0 XS03M 9W 24V 50/60Hz
for Coffee machine (CIMBALI) M24 - M39 - M39GT
for Coffee machine (FAEMA) E61



CIMBALI 533-893-300
FAEMA 533893300R

CIMBALI 533-893-300R

FAEMA 533893300

1120331 2-WAY SOLENOID VALVE LUCIFER 240V 50Hz
121FS1651A - max 10 bar
RUBY seal - orifice \varnothing 3.5 mm
with coil 483510S6 9W 220/240V 50/60Hz
fluid temperature $-40^{\circ}\text{C} + 140^{\circ}\text{C}$
for Coffee machine (FIORENZATO C.S.) MURANO



FAEMA 2441134294
GRIMAC A1900068
RANCILIO 34040115

FIORENZATO C.S. A1900036
PARKER 471014

FIORENZATO C.S. A1900068
PARKER E121-FS1651A

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BFC
CARIMALI
ECM
FIORENZATO C.S.
PARKER 438504
RANCILIO
SAB ITALIA
WEGA

AZKOYEN
BRASILIA
CIMBALI
EXPOBAR
GRIMAC
PAVONI
RENEKA
SPAZIALE

BEZZERA 7630306
BRUGNETTI-AURORA
CONTI
FAEMA 3301091760
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME



Solenoid valves



Suitable for:

1120460 2-WAY SOLENOID VALVE LUCIFER 240V 50Hz
7121ZBG1LV00 - fittings \varnothing 1/8"FF - max 10 bar
VITON seal - orifice 2.5 mm
with coil 483510 9W 220/240V 50/60Hz
fluid temperature -40°C+140°C
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (RENEKA) VIVA



ASTORIA CMA 18162002
BEZZERA 7702312
GRIMAC A1900002
PARKER 453160-453150
PROMAC 34040002
RANCILIO 10060517
WEGA WY18162004

ASTORIA CMA 18162004
CIMBALI
MAGISTER 180015
PARKER 471201
RANCILIO 34040002
RENEKA 9003344
WEGA WY18162002

BEZZERA 7702308
FIORENZATO C.S. A1900002
ORCHESTRALE D18162002
PARKER 7121ZBG1LV00
RANCILIO 10060500
RENEKA 90036344

Suitable for:

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BFC
CARIMALI
ECM
FIORENZATO C.S.
PARKER 439504
RANCILIO
SAB ITALIA
WEGA

AZKOYEN
BRASILIA
CIMBALI
EXPOBAR
GRIMAC
PAVONI
RENEKA
SPAZIALE

BEZZERA 7630306
BRUGNETTI-AURORA
CONTI
FAEMA 3301091760
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

1120461 2-WAY SOLENOID VALVE LUCIFER 240V 50Hz
7121ZBG1LR00 - fittings \varnothing 1/8"FF - max 24 bar
RUBY seal - orifice \varnothing 2.5 mm
with coil 483510S6 9W 220/240V 50/60Hz
fluid temperature -40°C+140°C



BEZZERA
EXPOBAR

CIMBALI 533-798-310
FIORENZATO C.S.

CIMBALI 533-798-300
PARKER 471203

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BFC
CARIMALI
ECM
FIORENZATO C.S.
PARKER 439504
RANCILIO
SAB ITALIA
WEGA

AZKOYEN
BRASILIA
CIMBALI
EXPOBAR
GRIMAC
PAVONI
RENEKA
SPAZIALE

BEZZERA 7630306
BRUGNETTI-AURORA
CONTI
FAEMA 3301091760
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME



Solenoid valves



Suitable for:

Suitable for:

1120501 2-WAY SOLENOID VALVE M&M 230/240V 50Hz
B297DVE - fittings \varnothing 1/8"FF - max 18 bar
VITON seal - orifice \varnothing 2.0 mm
with coil 2700 10VA 230/240V 50/60Hz
for Coffee machine (GRIMAC) DADAVAPORDOUBLE
NEWCIALDAVAPOR - OPALE - TERRY
for Coffee machine (SPINEL) ESSE - FLAVIA
MINIMINILUX - RONDOLUXMATIC

3610026 COIL M&M 2700 10VA 230/240V 50/60Hz
width 23 mm - height 33 mm
depth 30 mm



GRIMAC V190

GRIMAC 1160400045

SPINEL SR.000.032.000

1120816 2-WAY SOLENOID VALVE ODE \varnothing 1/4" 110V 8W
VITON seal - orifice \varnothing 2 mm
with coil BDA08110AS 100V 8W
temperature -10°C+140°C



ODE 212A2KV20

1120039 2-WAY SOLENOID VALVE ODE \varnothing 1/4" 230V 8W
VITON seal - orifice \varnothing 2.5 mm
coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C
for Coffee machine (ESSIKA) SK2 - SSK2

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI 367910

ODE

CONTI

ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS



Solenoid valves



Suitable for:

Suitable for:

1120040 2-WAY SOLENOID VALVE ODE \varnothing 1/4" 230V 8W
VITON seal - orifice \varnothing 2.2 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



NUOVA SIMONELLI 04100003

NUOVA SIMONELLI 04100005

ODE 21T2BV22-F+...

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120164 2-WAY SOLENOID VALVE ODE \varnothing 1/4" 230V 8W
VITON seal - orifice \varnothing 1,1 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120803 2-WAY SOLENOID VALVE ODE \varnothing 1/4" 230V 8W
VITON seal - orifice \varnothing 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



NUOVA SIMONELLI

ODE 212A2KV30

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS



Solenoid valves



Suitable for:

1120807 2-WAY SOLENOID VALVE ODE ø 1/4" 230V 8W
VITON seal - orifice ø 2.8 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C



ODE 21T2BV28-F

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120813 2-WAY SOLENOID VALVE ODE ø 1/8" 110V 8W
VITON seal - orifice ø 3 mm
with coil BDA08110AS 110V 8W
temperature -10°C+140°C



MARZOCCO

ODE 21A3KV30

1120814 2-WAY SOLENOID VALVE ODE ø 1/8" 110V 8W
RUBY seal - orifice ø 3 mm
with coil BDA08110AS 110V 8W
temperature -40°C+180°C



ODE 21A3KR30-110V

1120157 2-WAY SOLENOID VALVE ODE ø 1/8" 220V 5W
VITON seal - orifice ø 2,3 mm
with coil LBV05220BU 220V 60Hz 5W
temperature -10°C+140°C
for Coffee machine (CONTI) TWIN STAR2
for Coffee machine (SCALA) BUTTERFLY



CONTI 411476

ODE 21JN1R0V23+..

ODE 21JN1R0V23

1120012 2-WAY SOLENOID VALVE ODE ø 1/8" 230V 5W
VITON seal - orifice ø 2.3 mm
coil LBA05230AS 230V 50/60Hz 5W
temperature -10°C+140°C
for Coffee machine (NUOVA SIMONELLI) JAZZ



NUOVA SIMONELLI 04100042
SCALA C-0302

ODE 21JN1R0V23-230

ODE 21JN1R0V23+....

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



LAVAZZA 10064081

ODE LBA05230AS

ODE RLBA05230AS



Solenoid valves



Suitable for:

Suitable for:

1120808 2-WAY SOLENOID VALVE ODE ø 1/8" 230V 8W
VITON seal - orifice ø 3 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -10°C+140°C

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



DALLA CORTE B-00-0027

ODE 212A3KV30

CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

1120340 2-WAY SOLENOID VALVE OLAB 230V 50Hz
coil 6000 6000BH/K5FV 9VA 230V 50Hz
for Coffee machine (BRASILIA)
for Coffee machine (CONTI) TWIN STAR - XEOS
for Coffee machine (ESSIKA)



BRASILIA 09436.4.00.08

FIAMMA RST 5.0.000.0125

OLAB 5859

OLAB 5859/B

1120151 2-WAY SOLENOID VALVE PARKER 110V 50/60Hz
VE146HV - fitting ø 1/8"FF - max 10 bar
VITON seal - orifice ø 3 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -10°C+140°C

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



BEZZERA

PARKER 397453

PAVONI

ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010

1120153 2-WAY SOLENOID VALVE PARKER 110V 50/60Hz
VE146YV - fittings ø 1/4"FF - max 10 bar
VITON seal - orifice ø 3 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -10°C+140°C

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



ECM
MARZOCCO

FAEMA
PARKER 397484

GAGGIA

ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010



Solenoid valves



Suitable for:

Suitable for:

1120155 2-WAY SOLENOID VALVE PARKER 110V 50/60Hz
VE1402IR - fittings \varnothing 1/8"FF - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -30°C+140°C



FAEMA
PARKER 397440

MARZOCCO
PAVONI

PARKER 393272J
SPAZIALE

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010

1120154 2-WAY SOLENOID VALVE PARKER 115V 50/60Hz
VE125CV - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -40°C+140°C



ECM
RANCILIO

FAEMA

PARKER 393232J

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010

1120701 2-WAY SOLENOID VALVE PARKER 220/240V 9W
2019F1GRG7 - max 20 bar
RUBY seal - orifice \varnothing 1.5 mm
with coil 483510S6 XS03XS6F 9W 220/240V 50/60Hz
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C



PARKER 2019F1GRG7XS03XS6

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

1120582 COIL PARKER XS 220/240V 50/60Hz 9W
width 32 mm - height 37.3 mm
depth 43.4 mm



PARKER XS03XS6

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head \varnothing 7 mm - overall length 12 mm





Solenoid valves



Suitable for:

Suitable for:

1120352 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE125CV2 - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -40°C+140°C
for Coffee machine (RENEKA) LC - VIVAS



CARIMALI 95.01175
GRIMAC 2160400001
RANCILIO

ECM
GRIMAC GR801
RENEKA 9003364

FAEMA
PARKER 393233J
RENEKA 9003435

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

1120354 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE146NV - fittings \varnothing 1/4"FF - max 10 bar
VITON sealing - orifice \varnothing 2.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -10°C +140°C
for Coffee machine (GAGGIA) DECO - GD - GE - XD
XE
for Coffee machine (SAECO) AROMA



AZKOYEN
ECM
GAGGIA WGADM2115
MAIRALI
PARKER 397463
PARKER 397462
SAECO WGADM2115
SCALA C-0207
VICTORIA ARDUINO 04100022

BRUGNETTI-AURORA
FAEMA
GRIMAC
MARZOCCO
PARKER 397497
PAVONI 451272
SAN MARCO 108035
SPAZIALE

CONTI
FUTURMAT-ARIETE 0611/060113
ITALCREM 0611/060113
NUOVA SIMONELLI 04100022
PARKER VE146V+ZB09
PAVONI 451203
SAN MARCO 108035C
UNIC

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME



Solenoid valves



Suitable for:

1120355 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE1402IR - fittings \varnothing 1/8"FF - max 10 bar
RUBY seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -30°C+140°C
for Coffee machine (VFA EXPRES) ELITE - MAGESTIC
SPLENDOR



CIMBALI 533-796-500

FAEMA 2441132018

GAGGIA SPAGNA 08368500

MARZOCCO L053

PARKER 393273J

CIMBALI 533-796-500R

FAEMA 533796500

ITALCREM 08368500

NUOVA SIMONELLI

VFA EXPRES

FAEMA 533796500R

FUTURMAT-ARIETE 08368500

MAIRALI 08368500

PARKER 393274U

VISACREM 08368500

Suitable for:

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA

CARIMALI

ELEKTRA 01004035

FIORENZATO C.S.

GRIMAC GR724

PARKER 304012

RANCILIO

SAB ITALIA

WEGA

BRASILIA

CIMBALI

EXPOBAR

GRIMAC G131

MARZOCCO

PAVONI 451240

RENEKA

SPAZIALE

BRUGNETTI-AURORA

ECM

FAEMA 3301091760

GRIMAC 1160400023

NUOVA SIMONELLI

PROMAC

ROYAL

VIBIEMME

1120700 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE146FV - fitting \varnothing 1/8"FF - max 10 bar
VITON seal - orifice \varnothing 2.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -10°C+140°C
for Coffee machine (PAVONI) BART
for Coffee machine (VFA EXPRES) ELITE - MAGESTIC
SPLENDOR



ASTORIA CMA 18161

EXPOBAR

MARZOCCO

SPAZIALE

ASTORIA CMA 18162

FAEMA

PARKER 397443

VFA EXPRES

CARIMALI 95.01176

GAGGIA

PAVONI

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA

CARIMALI

ELEKTRA 01004035

FIORENZATO C.S.

GRIMAC GR724

PARKER 304012

RANCILIO

SAB ITALIA

WEGA

BRASILIA

CIMBALI

EXPOBAR

GRIMAC G131

MARZOCCO

PAVONI 451240

RENEKA

SPAZIALE

BRUGNETTI-AURORA

ECM

FAEMA 3301091760

GRIMAC 1160400023

NUOVA SIMONELLI

PROMAC

ROYAL

VIBIEMME



Solenoid valves



Suitable for:

Suitable for:

1120003 2-WAY SOLENOID VALVE PARKER 230V 60Hz
with coil KT09 9W 208/230V 60Hz



EXPOBAR ESC49995

EXPOBAR 60000105

1120048 2-WAY SOLENOID VALVE PARKER 230V 60Hz
VE161V - fittings \varnothing 1/4"FF - max 10 bar
VITON seal - orifice \varnothing 2.2 mm
with coil KT09 9W 208/230V 60Hz
fluid temperature -10°C+140°C
for Coffee machine (EXPOBAR) EXPRESSO
MINICOMPACT - MONROC - OFFICE



EXPOBAR 60000100

PARKER 392409

1120010 2-WAY SOLENOID VALVE PARKER 240V 50/60Hz
746BVR6 - fittings \varnothing 1/8"FF - max 15 bar
VITON seal - orifice \varnothing 1.5 mm
with coil 483510S6 9W 220/240V 50/60Hz
fluid temperature -40°C+140°C



PARKER 201XGRAGV7XS03XS6
SPAZIALE 00907

PARKER 471366

PARKER 471385

1120240 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L121D08 - fittings \varnothing 1/4"FF - max 40 bar
EPDM seal - orifice \varnothing 4.8 mm
with coil ZA34A 230V 50Hz 14VA
for Coffee machine (ASTORIA CMA) PLUS4YOU
for Coffee machine (WEGA) CONCEPT



ASTORIA CMA 18161977

WEGA WY18161977

1120308 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L120V02 - connections \varnothing 1/8"FF - max 20 bar
VITON seal - orifice \varnothing 2.3 mm
coil ZA30A 9W 230V 50Hz 14VA



ASTORIA CMA
GAGGIA SPAGNA 07467400
PAVONI

ELEKTRA 1120339
ITALCREM 07467400
VISACREM 07467400

FUTURMAT-ARIETE 07467400
MAIRALI 07467400

1120008 COIL SIRAI ZA30A 9W 230V 50Hz
width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322

1120309 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L121C01 - connections \varnothing 1/4"FF - max 20 bar
RUBY seal - orifice \varnothing 2.3 mm
coil ZA30A 9W 230V 50Hz 14VA



SPAZIALE 06478

1120008 COIL SIRAI ZA30A 9W 230V 50Hz
width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322



Suitable for:

Solenoid valves



1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L121V02 - connections \varnothing 1/4"FF - max 20 bar
VITON seal - orifice \varnothing 2.5 mm
coil ZA30A 9W 230V 50Hz 14VA



NUOVA SIMONELLI 04100012
VICTORIA ARDUINO 04100012

SCALA C-0210

SPAZIALE 06478

Suitable for:

1120008 COIL SIRAI ZA30A 9W 230V 50Hz
width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322

1120316 2-WAY SOLENOID VALVE SIRAI 230V 50Hz
L121D04 - connections \varnothing 1/4"FF - max 12 bar
EPDM seal - orifice \varnothing 3.2 mm
coil ZA30A 9W 230V 50Hz 14VA



1120008 COIL SIRAI ZA30A 9W 230V 50Hz
width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322

1120271 2-WAY SOLENOID VALVE 110V 60Hz



BRASILIA 01894.4.00.08

OLAB



Solenoid valves



Suitable for:

Suitable for:

1120243 2-WAYS SOLEN.VALVE PARKER 230V 50/60Hz
VE146V - connections \varnothing 1/4"FF - max 40 bar
VITON seal - orifice \varnothing 1.5 mm
with coil ZB09 9W 220/230V 50/60Hz
fluids temperature -10°C+140°C
for Coffee machine (GAGGIA) DECO - D90 - E90 - GD
GE - LCD - XD - XE
for Coffee machine (SAECO) AROMA

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XE0S2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



GAGGIA DM1197/220/5060

PARKER 397408

SAECO DM1197/220/5060



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

1120346 2-WAYS SOLENOID VALVE ODE \varnothing 1/4" 24VDC
VITON seal - orifice \varnothing 5.5 mm
with coil UDA 24VDC 12W
temperature -10°C+140°C

1120136 3 WAY-ODE \varnothing 1/8" MECHANICAL PART
orifice \varnothing 1.2 mm



MARZOCCO B.2.020

ODE 5204KCV55+...



ODE 31JN1XPV12



Suitable for:

Solenoid valves



1120137 3 WAY-ODE ø 1/8" MECHANICAL PART
orifice ø 2.3 mm



ODE 31JN1XPV23

Suitable for:

1120334 3-WAY MECHANICAL COMPONENT LUCIFER
E131F4304G - drain ø 1/8" conical - max 10 bar
RUBY seal - orifice ø 1.5 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA
BRASILIA
ECM
FIORENZATO C.S.
PARKER 471017
PROMAC
ROYAL
SPAZIALE 00626
WEGA

BEZZERA 7703001
CIMBALI
EXPOBAR
MARCFI-ANCAS
PAVONI 451261
RANCILIO 34040024
SAB ITALIA
VFA EXPRES

BFC
CONTI
FAEMA
NUOVA SIMONELLI
PAVONI 450001
RENEKA
SAN MARCO
VIBIEMME

1120339 3-WAY MECHANICAL COMPONENT PARKER
VE128IR - drain ø 1/8" conical - max 10 bar
RUBY seal - orifice ø 1.3 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA



ASTORIA CMA
CIMBALI
EXPOBAR
GRIMAC GR830
GRIMAC GR820
PAVONI 451260
RANCILIO
SAB ITALIA
WEGA

BEZZERA 7703012
ECM
FAEMA
GRIMAC V533
NUOVA SIMONELLI
PAVONI 450001
RENEKA
SPAZIALE 00626

BRASILIA
ELEKTRA
FIORENZATO C.S.
GRIMAC 1160400029
PARKER 360480J
PROMAC
ROYAL
VIBIEMME ELETCOELE

1120439 3-WAY MECHANICAL COMPONENT PARKER
PM128IV - outlet ø 1/8" conical - max 10 bar
VITON seal - orifice ø 1.3 mm
fluids temperature -30°C+140°C



PARKER 360479J



Solenoid valves



Suitable for:

1120806 3-WAY ODE SOLENOID VALVE 1/8" 230V 8W
RUBY seal - hole \varnothing 1,5 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
thermal drilling -40°C+180°C



NUOVA SIMONELLI 04100009

ODE 31A3AR15

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2 XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS XLPALLAS



CONTI

LAVAZZA 10063305

ODE RBDA08223DS

ODE BDA08223DS

5039016 3-WAY PARKER SOLENOID VALVE 230V 50Hz
VE141.2YV - tapered outlet \varnothing 1/8" - fittings \varnothing 1/4
VITON seal - orifice \varnothing 3 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -10°C+140°C



CARIMALI 96.00203

PARKER 393301J

RENEKA 9007411

1120169 3-WAY SOLENOID VALVE AE 240V 50Hz 13VA
fittings \varnothing 1/8 - outlet \varnothing 7 mm
with coil SFA00 13VA 220/240V 50Hz
for Coffee machine (SPINEL) LOLA - LOLAELITE
LOLASEMIELITE - LOLITA - LOLITAEELITE
PINOCCHIO - TOUR - XP12



GRIMAC MG355/1

GRIMAC 1160400008

GRIMAC 1160400086

LAVAZZA 10079018

SPINEL SR.000.032.012

SPINEL SR.000.032.005

1120006 3-WAY SOLENOID VALVE ASSY 230V 50H
with stainless steel coating



BRASILIA 09519.2.00.08

PARKER

1120235 3-WAY SOLENOID VALVE CEME \varnothing 1/8"F 120V
NICKEL PLATED CASE
5320 - outlet \varnothing 7 mm - max 14bar
VITON seal - orifice \varnothing 1.2 mm
with coil B4 14VA 100/120V 60Hz
fluid temperature -10°C+140°C



ULKA 5320VN1,2VNNROY

1120229 3-WAY SOLENOID VALVE CEME \varnothing 1/8"F 230V
6211 - outlet \varnothing 1/8"M - max 15bar
VITON seal - orifice \varnothing 1.5 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6211VN1,5SBIF

3120569 COIL CEME B6 230V



ULKA BDF/R



Solenoid valves



Suitable for:

1120233 3-WAY SOLENOID VALVE CEME ø 1/8" F 230V
STAINLESS STEEL SLEEVE
5320 - outlet ø 7 mm - max 14bar
VITON seal - orifice ø 1.2 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5320VN1,2VNSAIX

Suitable for:

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R

1120234 3-WAY SOLENOID VALVE CEME ø 1/8" F 230V
NICKEL PLATED CASE
5320 - outlet ø 7 mm - max 14bar
VITON seal - orifice ø 1.2 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5320VN1,2VNNAIX

1199316 COIL CEME B4 230V
50 Hz impregnated



ULKA 1W7/R

1120228 3-WAY SOLENOID VALVE CEME 230V
6270 - outlet ø 1/8" M - max 15bar
VITON seal - orifice ø 1.5 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6270VN1,5SBIF

3120569 COIL CEME B6 230V



ULKA BDF/R

1120102 3-WAY SOLENOID VALVE LUCIFER 115V 60Hz
E131F4304 - drain ø 1/8" conical - max 10 bar
RUBY seal - orifice ø 1.5 mm
with coil 483510S5 9W 110/115/120V 50/60Hz
fluid temperature -40°C+140°C



ASTORIA CMA 18150
FIORENZATO C.S. A1900007
PAVONI 451213

BEZZERA 7701101
ORCHESTRALE D18150
SAN MARCO 108063/A

ECM
PARKER 471011
WEGA WY18150

1120363 COIL LUCIFER 483510S5 9W 115V 50/60Hz
width 32 mm - height 37.5 mm
depth 43.5 mm



BEZZERA 7630305
RENEKA

ECM

PARKER 439507



Solenoid valves



Suitable for:

Suitable for:

1120334 3-WAY MECHANICAL COMPONENT LUCIFER
E131F4304G - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.5 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA	BEZZERA 7703001	BFC
BRASILIA	CIMBALI	CONTI
ECM	EXPOBAR	FAEMA
FIORENZATO C.S.	MARCFI-ANCAS	NUOVA SIMONELLI
PARKER 471017	PAVONI 451261	PAVONI 450001
PROMAC	RANCILIO 34040024	RENEKA
ROYAL	SAB ITALIA	SAN MARCO
SPAZIALE 00626	VFA EXPRES	VIBIEMME
WEGA		

1120330 3-WAY SOLENOID VALVE LUCIFER 240V 50Hz
E131F4304 - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 2.5 mm
with coil 483510S6 9W 220/240V 50/60Hz
fluid temperature -40°C+140°C
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) DUEA - ELITE
EUROPA95 - EXPRESS - E61 - E91 - E92 - SK2
SSK2
for Coffee machine (FAEMA) COMPACT
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS



BRUGNETTI-AURORA 000191	CARIMALI 92.01177	CASADIO 533795610
CASADIO 533795610R	CIMBALI 530-595-300	CIMBALI 533-795-600
CIMBALI 533-795-610	CIMBALI 533-795-610R	CIMBALI 533-795-910
EXPOBAR	FAEMA 2441119275	FAEMA 2445119275
FAEMA 533795610	FAEMA 533795610R	FAEMA 533795910
ORCHESTRALE D18151	PARKER 471012	PARKER 471013
PAVONI 0E912101800A	PAVONI 451200	PAVONI 451209
PAVONI 451276	RENEKA 9008257	ROYAL
SPAZIALE		

1120332 COIL LUCIFER/PARKER 220/240V 9W 50Hz
width 32 mm - height 38 mm
depth 43 mm
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA	AZKOYEN	BEZZERA 7630306
BFC	BRASILIA	BRUGNETTI-AURORA
CARIMALI	CIMBALI	CONTI
ECM	EXPOBAR	FAEMA 3301091760
FIORENZATO C.S.	GRIMAC	NUOVA SIMONELLI
PARKER 439504	PAVONI	PROMAC
RANCILIO	RENEKA	ROYAL
SAB ITALIA	SPAZIALE	VIBIEMME
WEGA		



Suitable for:

Solenoid valves



1120334 3-WAY MECHANICAL COMPONENT LUCIFER
E131F4304G - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.5 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RANCILIO) EPOCA
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (SAN MARCO) EUROPA95 - NS85



ASTORIA CMA	BEZZERA 7703001	BFC
BRASILIA	CIMBALI	CONTI
ECM	EXPOBAR	FAEMA
FIORENZATO C.S.	MARCFI-ANCAS	NUOVA SIMONELLI
PARKER 471017	PAVONI 451261	PAVONI 450001
PROMAC	RANCILIO 34040024	RENEKA
ROYAL	SAB ITALIA	SAN MARCO
SPAZIALE 00626	VFA EXPRES	VIBIEMME
WEGA		

1120167 3-WAY SOLENOID VALVE M&M 230V 50Hz 10VA
B397 - outlet \varnothing 6,5 - fittings \varnothing 1/8 - max 8 bar
VITON seal
with coil 2700 10VA 230/240V 50/60Hz
for Coffee machine (SPINEL) DUELUX - DUETTOLUX
ESSE - ESSELUX - FLAVIA - MINIMINI
MINIMINILUX - RONDO - TRELUX - UNOLUX



LAVAZZA 10079018 SPINEL SR.000.032.001

3610026 COIL M&M 2700 10VA 230/240V 50/60Hz
width 23 mm - height 33 mm
depth 30 mm



1120166 3-WAY SOLENOID VALVE ODE \varnothing 1/8" 220V 8W
VITON seal - orifice \varnothing 1,0 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C +180°C



LAVAZZA 10063970

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI
ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS



Solenoid valves



Suitable for:

Suitable for:

1120121 3-WAY SOLENOID VALVE ODE \varnothing 1/8" 230V 5W
VITON seal - orifice \varnothing 1.2 mm
with coil LBA05230AS 230/240V 50/60Hz 5W
temperature -10°C+140°C
for Coffee machine (NUOVA SIMONELLI) JAZZ
for Coffee machine (VICTORIA ARDUINO) VENUSFAMILY



NUOVA SIMONELLI 04100046

ODE 31JN1XPV12+...

VICTORIA ARDUINO 04100046

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



LAVAZZA 10064081

ODE LBA05230AS

ODE RLBA05230AS

1120801 3-WAY SOLENOID VALVE ODE 230V 8W
RUBY seal - orifice \varnothing 1.5 mm
TAPERED fitting
with coil BDA08223DS 220/230V 50/60Hz 8W
temperature -40°C+180°C



LAVAZZA 10063303

ODE 31A1CR15

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



CONTI

ODE BDA08223DS

LAVAZZA 10063305

ODE RBDA08223DS

1120187 3-WAY SOLENOID VALVE OLAB \varnothing 1/8" F 230V
coil 6000BH/K5FV 230V 50Hz 9/12,5VA
for Coffee machine (PAVONI) MICROPOD
for Coffee machine (RDL) MAXI - MINI - MINICAP
SWEET



OLAB 9000/FZ

PAVONI 0R14210010

RDL 14210010

1120188 3-WAY SOLENOID VALVE OLAB \varnothing 1/8" F 230VAC
coil 6000BH/B0DN 24V 10W



OLAB 9500/HEVT9000

SAECO 11004637

SAECO 11011462

1120004 3-WAY SOLENOID VALVE OLAB 230V 50Hz
outlet \varnothing 7 mm
coil 8000BH/J5IV 15VA 220/230V 50Hz



BRASILIA 01984.4.00.08

OLAB 8000/7

1120211 COIL OLAB 8000BH/J5IV 220/230VAC 50Hz
width 30 mm - height 39 mm
depth 41 mm



OLAB 8000BH/J5IV



Solenoid valves



Suitable for:

Suitable for:

1120101 3-WAY SOLENOID VALVE PARKER 115V 50/60Hz
VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -40°C+140°C



BEZZERA 7701108
PARKER 393106J
SPAZIALE

BRASILIA
RENEKA

ECM
SAN MARCO

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010

1120339 3-WAY MECHANICAL COMPONENT PARKER
VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA



ASTORIA CMA
CIMBALI
EXPOBAR
GRIMAC GR830
GRIMAC GR820
PAVONI 451260
RANCILIO
SAB ITALIA
WEGA

BEZZERA 7703012
ECM
FAEMA
GRIMAC V533
NUOVA SIMONELLI
PAVONI 450001
RENEKA
SPAZIALE 00626

BRASILIA
ELEKTRA
FIORENZATO C.S.
GRIMAC 1160400029
PARKER 360480J
PROMAC
ROYAL
VIBIEMME ELETCOELE

1120152 3-WAY SOLENOID VALVE PARKER 115V 50/60Hz
VE141BV - conical outlet \varnothing 1/8" - fittings \varnothing 1/8"F
VITON seal - orifice \varnothing 2 mm
with coil ZB09 9W 110/120V 50/60Hz
fluid temperature -10°C+140°C



CIMBALI

FAEMA

PARKER 397206

1120336 COIL PARKER ZB09 9W 110/120V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



ASTORIA CMA
GRIMAC G356UL
RENEKA

CONTI
GRIMAC 1160400022

ECM
PARKER 304010

Suitable for:

Suitable for:

1120750 3-WAY SOLENOID VALVE PARKER 220/240V 9W
 3019F1GRG7 - drain \varnothing 1/8" F - max 14 bar
 RUBY seal - orifice \varnothing 1.5 mm
 with coil 483510S0 XS03XS6F 9W 220/240V 50/60Hz
 STAINLESS STEEL - NSF solenoid valve body
 fluids temperature $-40^{\circ}\text{C}+140^{\circ}\text{C}$



PARKER 3019F1GRG7XS03XS6

1120582 COIL PARKER XS 220/240V 50/60Hz 9W
 width 32 mm - height 37.3 mm
 depth 43.4 mm



PARKER XS03XS6

1786221 GASKET KIT FOR SOLENOID VALVE
 for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
 head \varnothing 7 mm - overall length 12 mm



1120088 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
 N79.9QV - outlet \varnothing 7 mm - fittings \varnothing 1/8" FF
 VITON seal
 with coil WB4.5 4.5W 220/230V 50/60Hz
 fluid temperature $-10^{\circ}\text{C}+140^{\circ}\text{C}$
 for Coffee machine (GRIMAC) NEWCIALDAVAPOR
 NEWCIALDAVAPORDOUBLE - NUVOLA - TERRY



PARKER 398140

PARKER 398154



Solenoid valves



Suitable for:

1120321 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE141BV - drain \varnothing 1/8" conical - fittings \varnothing 1/8"F
VITON seal - orifice \varnothing 2 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -40°C+140°C



BRASILIA 03619.4.00.08
MARZOCCO

CIMBALI
NUOVA SIMONELLI 04100011

FAEMA 2441132018
PARKER 397204

Suitable for:

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

1120335 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS



ASTORIA CMA 18157
BRASILIA 01947.4.00.08
CIMBALI 533-795-600
FIORENZATO C.S. A1900003
NUOVA SIMONELLI 04100038
PAVONI 451200
RENEKA
SPAZIALE 00628
WEGA

ASTORIA CMA 18161996
BRUGNETTI-AURORA
EXPOBAR 60000112
GRIMAC A1900003
NUOVA SIMONELLI 04100017
PROMAC
ROYAL
VIBIEMME

BIANCHI 25034416
CARIMALI 95.01177
FAEMA 2441119275
GRIMAC GR772
PARKER 393107J
RANCILIO
SAECO WGADM0647
VICTORIA ARDUINO 04100017

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME



Suitable for:

Solenoid valves



1120339 3-WAY MECHANICAL COMPONENT PARKER
VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA



ASTORIA CMA	BEZZERA 7703012	BRASILIA
CIMBALI	ECM	ELEKTRA
EXPOBAR	FAEMA	FIORENZATO C.S.
GRIMAC GR830	GRIMAC V533	GRIMAC 1160400029
GRIMAC GR820	NUOVA SIMONELLI	PARKER 360480J
PAVONI 451260	PAVONI 450001	PROMAC
RANCILIO	RENEKA	ROYAL
SAB ITALIA	SPAZIALE 00626	VIBIEMME ELETCOELE
WEGA		

1120349 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil YB09 9W 220/230V 50/60Hz
fluid temperature -30°C+140°C
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA
LOLLO - MERCURY - MINIMAX - REPLICA
REVOLUTION - SILVER



FUTURMAT-ARIETE	PARKER 393395J	PARKER
VIBIEMME ELETELE3VCAB		

1120361 COIL PARKER YB09 220/230V 9W 50/60Hz
width 34 mm - height 32 mm
depth 42 mm
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA
LOLLO - MERCURY - MINIMAX - REPLICA
REVOLUTION - SILVER



CONTI	ELEKTRA	EXPOBAR
FUTURMAT-ARIETE 01181008	GAGGIA SPAGNA 01181008	ITALCREM 01181008
MAIRALI 01181008	PARKER 304398	VIBIEMME ELETB03V
VISACREM 01181008		



Solenoid valves



Suitable for:

Suitable for:

1120351 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE128GR - drain \varnothing 1/8" cylindrical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -30°C+140°C



BRASILIA

GAGGIA

PARKER 393122J

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm
for Coffee machine (ASTORIA CMA)
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (BRASILIA) CENTURY - PORTOFINO
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME)



ASTORIA CMA
CARIMALI
ELEKTRA 01004035
FIORENZATO C.S.
GRIMAC GR724
PARKER 304012
RANCILIO
SAB ITALIA
WEGA

BRASILIA
CIMBALI
EXPOBAR
GRIMAC G131
MARZOCCO
PAVONI 451240
RENEKA
SPAZIALE

BRUGNETTI-AURORA
ECM
FAEMA 3301091760
GRIMAC 1160400023
NUOVA SIMONELLI
PROMAC
ROYAL
VIBIEMME

1120476 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE1282IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil YB09 9W 220/230V 50/60Hz
fluid temperature -30°C+140°C
with lever for manual usage



FUTURMAT-ARIETE 07976608
ITALCREM 07976608
PARKER 393101J

GAGGIA
MAIRALI 07976608
VFA EXPRES

GAGGIA SPAGNA 07976608
PARKER 393102J
VISACREM 07976608

1120361 COIL PARKER YB09 220/230V 9W 50/60Hz
width 34 mm - height 32 mm
depth 42 mm
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA
LOLLO - MERCURY - MINIMAX - REPLICA
REVOLUTION - SILVER



CONTI
FUTURMAT-ARIETE 01181008
MAIRALI 01181008
VISACREM 01181008

ELEKTRA
GAGGIA SPAGNA 01181008
PARKER 304398

EXPOBAR
ITALCREM 01181008
VIBIEMME ELETB03V

2102097 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE108BV - drain \varnothing 1/8" conical - max 10 bar
VITON seal - orifice \varnothing 1.5 mm
with coil ZH14 14W 220/230V 50/60Hz
fluids temperature -10°C+140°C



MARZOCCO B.2.004

PARKER 395206

1120049 3-WAY SOLENOID VALVE PARKER 230V 50Hz
128IV.5 - conical outlet \varnothing 1/8" - max 10 bar
VITON seal
with coil Kp07 7W 220/230V 50Hz
fluid temperature -40°C+140°C
for Coffee machine (EXPOBAR) MONROC



EXPOBAR 60000111

PARKER



Solenoid valves



Suitable for:

Suitable for:

1120350 3-WAY SOLENOID VALVE PARKER 24V 50/60Hz

VE128IR - conical outlet \varnothing 1/8" - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
with coil ZB09 9W 24VAC 50/60Hz
fluid temperature -30°C+140°C



FAEMA

PARKER

SAN MARCO 108782

3120033 COIL PARKER ZB09 9W 24V 50/60Hz

width 34 mm - height 33 mm
depth 43.5 mm
for Coffee machine (FAEMA) COMPACT - DUE - DUEA
EXPRESS - E61 - E91 - E92



CONTI

NUOVA SIMONELLI
UNIC

FAEMA

PARKER 304004
VFA EXPRES

MARZOCCO

SAN MARCO

1120339 3-WAY MECHANICAL COMPONENT PARKER

VE128IR - drain \varnothing 1/8" conical - max 10 bar
RUBY seal - orifice \varnothing 1.3 mm
fluid temperature -30°C+140°C
for Coffee machine (BEZZERA) ELLISSE
for Coffee machine (CONTI) CLUB - TWIN STAR2
XEOS2
for Coffee machine (ESSIKA) SK2 - SSK2
for Coffee machine (FAEMA) COMPACT - DUEA
EXPRESS - E61 - E91 - E92
for Coffee machine (FIORENZATO C.S.) MURANO
for Coffee machine (PAVONI) BART
for Coffee machine (RENEKA) LC - VIVA - VIVAS
XLPALLAS
for Coffee machine (VIBIEMME) CHIMAERA - CUBO
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA



ASTORIA CMA
CIMBALI
EXPOBAR
GRIMAC GR830
GRIMAC GR820
PAVONI 451260
RANCILIO
SAB ITALIA
WEGA

BEZZERA 7703012
ECM
FAEMA
GRIMAC V533
NUOVA SIMONELLI
PAVONI 450001
RENEKA
SPAZIALE 00626

BRASILIA
ELEKTRA
FIORENZATO C.S.
GRIMAC 1160400029
PARKER 360480J
PROMAC
ROYAL
VIBIEMME ELETCOELE

1120751 3-WAY SOLENOID VALVE PARKER 24VAC 9W

3019F1GRG7 - drain \varnothing 1/8"F - max 14 bar
RUBY seal - orifice \varnothing 1.5 mm
with coil 483510P0 XS03MF 9W 24VAC 50/60Hz
STAINLESS STEEL - NSF solenoid valve body
fluids temperature -40°C+140°C
for Coffee machine (CIMBALI) M24 - M39GT



CIMBALI 533-900-400

PARKER 3019F1GRG7XS03M

1120580 COIL PARKER XS 24VAC 50/60Hz 9W

width 32 mm - height 37.3 mm
depth 43.4 mm



PARKER XS03M



Suitable for:

1786221 GASKET KIT FOR SOLENOID VALVE
for liquipure solenoid valves



CIMBALI 539-901-000

PARKER 7GRS01

Solenoid valves



Suitable for:

5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
head ø 7 mm - overall length 12 mm



1120239 3-WAY SOLENOID VALVE SIRAI 230V 50Hz
L321D04C - drain ø 1/8" conical - connect. ø 1/4"
EPDM seal - orifice ø 3.2 mm
with coil ZA34A 230V 50Hz 14VA
for Coffee machine (ASTORIA CMA) PLUS4YOU
for Coffee machine (WEGA) CONCEPT



ASTORIA CMA 18161976

WEGA WY18161976

1120306 3-WAY SOLENOID VALVE SIRAI 230V 50Hz
L334C18C - scarico ø 1/8" conico - max 13 bar
RUBY seal - orifice 1,6 mm
coil ZA30A 9W 230V 50Hz 14VA
for Coffee machine (BEZZERA) ELLISSE TE
for Coffee machine (FAEMA) COMPACT - DUEA - ELITE
EXPRESS - E91 - E92



BEZZERA 7702210
ECM

BRASILIA 22709.4.00.08
FAEMA

BRASILIA 16194.4.00.08
RANCILIO

1120008 COIL SIRAI ZA30A 9W 230V 50Hz
width 30 mm - height 39 mm
depth 41 mm



BEZZERA 7630322

1120242 3-WAY SOLENOID VALVE SIRAI 24V 60Hz
L334C18C - drain ø 1/8" conical - max 13 bar
tenuta in RUBINO - orificio ø 1,6 mm
with coil ZA32A 24V 50/60Hz 14VA



1120366 3-WAYS SOLENOID VALVE M&M 230/240V 50Hz
D320 - outlet ø 7 mm - max 18 bar
VITON seal
coil 7700 18VA 230/240V 50/60Hz
for Coffee machine (GAGGIA) BABY - CLASSIC - DANDY



GAGGIA DM1152/001

GAGGIA DM1152/003

GAGGIA DM1645/001



Solenoid valves



Suitable for:

1120502 3-WAYS SOLENOID VALVE M&M 230/240V 50Hz
B397 - outlet \varnothing 1/8" - connections \varnothing 1/8"-max 5 bar
VITON seal
coil 2700 10VA 230/240V 50/60Hz



Suitable for:

3610026 COIL M&M 2700 10VA 230/240V 50/60Hz
width 23 mm - height 33 mm
depth 30 mm

